





















Testing

	Multimeter
	Jack
	Plug
	Ground
	Multimeter resistance measuring mode
	Multimeter DC voltage measuring mode

Impulse period display	Test step/ Scope of test	Measuring device/ Test connection	Actuation/ Requirement	Set value/ Function	Possible cause/Remedy
-	1.0 Checking kickdown shutoff ¹⁾	S16/7 2    S16/7 2    4	Ignition: ON Coupling S16/7 pulled off	11–14 V 11–14 V	Wiring Wiring.
-	1.1 Wiring	X26 9   X49/2 7	Ignition: OFF Coupling X26, X49/2 pulled off.	< 1 Ω	Open circuit.
-	1.2 Wiring	X49/2 7   S16/7 2	Ignition: OFF Coupling X49/2, S16/7 pulled off.	< 1 Ω	Open circuit.
-	1.3 Wiring	S16/7 4   Y3 1	Ignition: OFF Coupling S16/7, Y3 pulled off.	< 1 Ω	Open circuit.
-	1.4 Wiring	S16/7 4   S16/8 1	Ignition: OFF Coupling S16/7, S16/8 pulled off.	< 1 Ω	Open circuit.

¹⁾ Vehicles without 2nd driving program 2-pole kickdown switch (voltage measurement jack 1 to ground).

Impulse period display	Test step/ Scope of test	Measuring device/ Test connection	Actuation/ Requirement	Set value/ Function	Possible cause/Remedy
-	2.0 Checking kickdown shutoff (S16/7)		Ignition: OFF Coupling S16/7 pulled off. Kickdown switch actuated Not actuated	 $< 1 \Omega$ ∞	Renew kickdown switch (S16/7).
-	3.0 Checking solenoid valve (Y3)		Ignition: ON Actuate S16/7	11-14 V	Renew wiring, solenoid valve (Y3).
-	3.1 Wiring		Ignition: OFF Coupling Y3, S16/7 pulled off	$< 1 \Omega$	Open circuit.


Special tool



Commercially available tool

Multimeter

e.g. Sun, DMM-5



P 27 - 0110 - 61

Wiring diagram kickdown shutoff "B"-circuit models 107, 126

E12	Shift pattern illumination	X49/2	Connector, backup lamp/starter lock-out switch
L2	Vehicle speed sensor	Y3	Kickdown valve (automatic transmission)
N16/4	Fuel pump relay with kickdown cut-out	a	Speedometer
S16/1	Starter lock-out/backup lamp switch	b	W1 Main ground behind instrument cluster
S16/7	Kickdown switch/transmission mode	c	Fuse terminal 15
S16/8	"B" engagement switch	d	Back-up light
X6	Terminal block, terminal 58d (2-pole)	e	Ignition starter switch
X26	Connector, interior/engine	f	Starter